




# Thumb Turns & Coin Releases

Two designs of both Thumb Turn and Coin Release available as sets or individually - each with the choice of either a Square Spindle that can be fitted in the square or diamond orientation, or a Splined Spindle to operate a Mortice Rack Bolt (see page MC3:070).



approx actual size

- ▲ 0524 Turn & Coin Release Set (Splined Spindle)
- 0523 Turn only (Splined Spindle)
- 0534 Turn & Coin Release Set (Square Spindle)
- 0533 Turn only (Square Spindle)
- 0532 Coin Release only (Universal Hub)



approx actual size

- ▲ 9433 Turn & Coin Release Set (Splined Spindle)
- 9431 Turn only (Splined Spindle)
- 9434 Turn & Coin Release Set (Square Spindle)
- 9421 Turn only (Square Spindle)
- 9432 Coin Release only (Universal Hub)

## Fixings


Turns & Releases supplied with finish matched no.4 x 13mm woodscrews. Turn Sets and Turns only are supplied with a splined spindle or 4.8mm x 65mm square spindle (can be fitted in square or diamond orientation). Longer spindles are available upon request. Coin releases have a Universal Hub to accept both square and splined spindles.



▲ splined spindle - 65mm long (brass)



▲ 4.8mm x 65mm square spindle (brass)



▲ 0150 4.8mm to 8mm Converter Sleeve

# Thumb Turns & Releases

A Thumb Turn with a Swing Cover Release and separate Key available as a set or individually along with a Thumb Turn and Coin Release with the option of red/green status indication, again available as sets or individually.



▲ **9420 Turn & Coin Release Set**  
**9416 Turn only**  
**9418 Coin Release only**



▲ **9419 Turn & Coin Release Set**  
**9416 Turn only**  
**9417 Coin Release only**





▲ **9424 Turn & Swing Cover Release Set**  
**9421 Turn only**  
**7963 Swing Cover Release only**



▲ nickel plated key supplied with 9424 & 7963 only




▲ **0150 4.8mm to 8mm Converter Sleeve**



indicator: red / green

	A	B
L x W	50 x 38	63 x 43



Knob 38 x 19




Plate 42 x 21



## Fixings

9421, 9424 & 7963 supplied with finish matched no.4 x 13mm wood screws.

9416 - 9420 supplied with finish matched no.6 x 19mm wood screws.


All Turn Sets and Turns only are supplied with a 4.8mm x 65mm square brass spindle (can be fitted in square or diamond orientation). Longer spindles are available upon request.

# Thumb Turns & Coin Releases

A Thumb Turn with three Turn designs along with a coordinating Coin Release with either no indicator or red/green status indication available as sets or to order individually.




0148 shown




- ▲ **0148 Turn & Release Set With Indication** (Turn only **0139**, Release only **0140**)
- 0149 Turn & Release Set No Indicator** (Turn only **0139**, Release only **0141**)



0143 shown




- ▲ **0144 Turn & Release Set With Indication** (Turn only **0142**, Release only **0140**)
- 0143 Turn & Release Set No Indicator** (Turn only **0142**, Release only **0141**)




0147 shown



- ▲ **0147 Turn & Release Set With Indication** (Turn only **0145**, Release only **0140**)
- 0146 Turn & Release Set No Indicator** (Turn only **0145**, Release only **0141**)



no indicator



indication: red / green



- ▲ **0150 4.8mm to 8mm Converter Sleeve**

# Thumb Turns & Coin Releases

Three Thumb Turn Knob designs available with three Backplate/Rosette options - all supplied with a factory-fitted integral spindle together with complementary Coin Releases.

The 7903/04/10 Oval Backplate Turns can be adapted for use with Legge 3722LK & 3724LK Bathroom Locks - please contact us for coding information.








## Fixings

Supplied with finish matched no.4 x 13mm wood screws.


Turns are supplied fitted with a 5mm square spindle in either square or diamond orientation which must be specified (see below).

 Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

 A 5-8mm converter sleeve is available - see page ST6:070



▲ **CLS** closet spindle option (see page ST6:070 for dimensions)



▲ spindle orientation

	Turn size	P (proj)
7904/7905/7906	34 x 9	20
7910/7911/7912	32 x 21	30
7902/7903/7913	32 x 23	36

# Thumb Turns & Coin Releases

Four Thumb Turn Knobs on Backplates, all supplied with a factory-fitted integral spindle; together with complementary Coin Releases.




## Fixings

Supplied with finish matched no.4 x 13mm wood screws. Turns are supplied fitted with a 5mm square spindle in either square or diamond orientation which must be specified (see below).



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.



▲ **CLS** closet spindle option (see page ST6:070 for dimensions)

▲ spindle orientation

- SQ version
- DMD version

# Thumb Turns & Coin Releases

Three classic Art Deco period Thumb Turn Knobs on Plates, all supplied with a factory-fitted integral spindle; together with complementary Coin Releases.



size B Turn shown

size B Turn shown

▲ **7900** (round edge design)

▲ **7901** (square edge design)

▲ **7914**

round edge design

square edge design

▲ **7900CR** 50 x 20

▲ **7901CR** 50 x 20



▲ **7914CR** 42 x 21

## Fixings


Supplied with finish matched no.4 x 13mm wood screws. Turns are supplied fitted with a 5mm square spindle in either square or diamond orientation which must be specified (see below).



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.



7900/7901	A	B
H x W	25 x 13	30 x 17
P (projection)	26	30
Plate size	50 x 20	50 x 20



# Swing Cover Releases/Escutcheons

A selection of traditional and contemporary Swing Cover Releases and Swing Cover Keyhole Escutcheons designed to complement the Door Knobs & Door Levers in both the Allart Select and Door Furniture sections (ST1&2 and DF1&2).



swing cover release (7961SC shown)



swing cover keyhole escutcheon (1864ABU shown)

## Fixings

Supplied with finish matched no.4 x 13mm wood screws.  
Swing Cover Releases supplied with nickel plated key.



approx actual size

▲ 8980 Release/8990 Escutcheon



approx actual size

▲ 7962 Release/1867 Escutcheon



approx actual size

▲ 7961 Release/1864 Escutcheon



approx actual size

▲ 7964 Release/1880 Escutcheon



approx actual size

▲ 7967 Release/1868 Escutcheon



approx actual size

▲ 7968 Release/3924 Escutcheon



approx actual size

▲ 7965 Release/7970 Escutcheon



approx actual size

▲ 7966 Release/7971 Escutcheon



approx actual size

▲ 0174 Release/0173 Escutcheon



approx actual size


▲ 0176 Release/0175 Escutcheon



Swing Cover Releases supplied with nickel plated key (see page ST6:070 for dimensions)

# Swing Cover Releases/Escutcheons

A selection of traditional and contemporary Swing Cover Releases and Swing Cover Keyhole Escutcheons designed to complement the Door Knobs & Door Levers in both the Allart Select and Door Furniture sections (ST1&2 and DF1&2).



swing cover release (8983PN shown)



swing cover keyhole escutcheon (8993ABU shown)

## Fixings

Supplied with finish matched no.4 x 13mm wood screws.  
Swing Cover Releases supplied with nickel plated key.

<p>▲ <b>8984</b> Release/<b>8994</b> Escutcheon 40 x 31</p>	<p>▲ <b>8983</b> Release/<b>8993</b> Escutcheon 45 x 24</p>
<p>▲ <b>8989</b> Release/<b>8999</b> Escutcheon 50 x 19</p>	<p>▲ <b>8981</b> Release/<b>8991</b> Escutcheon 50 x 19</p>
<p>▲ <b>8985</b> Release/<b>8995</b> Escutcheon 50 x 19</p>	<p>▲ <b>8986</b> Release/<b>8996</b> Escutcheon 50 x 19</p>
<p>▲ <b>8987</b> Release/<b>8997</b> Escutcheon 32 <sup>A</sup>/<sub>F</sub></p>	<p>▲ <b>8988</b> Release/<b>8998</b> Escutcheon 32 <sup>A</sup>/<sub>F</sub></p>
	<p><sup>A</sup>/<sub>F</sub> = dimension across flats</p> <div data-bbox="1082 1899 1551 2110" style="border: 1px solid black; padding: 5px;">  <p>Swing Cover Releases supplied with nickel plated key (see page ST6:070 for dimensions)</p> </div>

# Swing Cover Releases/Escutcheons

A selection of traditional and contemporary Swing Cover Releases and Swing Cover Keyhole Escutcheons designed to complement the Door Knobs & Door Levers in both the Allart Select and Door Furniture sections (ST1&2 and DF1&2).



swing cover release (7969PN shown)



swing cover keyhole escutcheon (0155PC shown)

## Fixings

Supplied with finish matched no.4 x 13mm wood screws.  
Swing Cover Releases supplied with nickel plated key.



▲ **1876** Escutcheon 57 x 32  
(keyhole escutcheon only, no release version available)



▲ **0155** Escutcheon 57 x 19  
(keyhole escutcheon only, no release version available)



▲ **7976** Release/**9158** Escutcheon 45 x 25



▲ **7969** Release/**9159** Escutcheon 40 x 28




▲ **7963** Release/**9402** Escutcheon 40 x 20



▲ **7977** Release/**2523** Escutcheon 56 x 27



▲ **7974** Release/**7972** Escutcheon 50 x 20



▲ **7975** Release/**7973** Escutcheon 50 x 20



▲ **9404** Release/**9403** Escutcheon 50 x 38



Swing Cover Releases supplied with nickel plated key (see page ST6:070 for dimensions)

9403 shown

# Escutcheons & Release Key Ferrules


Seven traditional Keyhole Escutcheons, both flat and sunken keyway (designed to cater for thick doors where key projection is a problem), along with a Budget Lock Escutcheon and three Release Key Ferrules.




▲ 7897



▲ 7898



▲ 7899



▲ 1871 44 x 29



▲ 1849 51 x 22



▲ 7978 38 x 38

## Fixings

Escutcheons supplied with finish matched no.4 x 13mm wood screws (except 1849 which is supplied with no.6 x 19mm). Release Key Ferrules require a 13.5mm (17/32") drilled hole for tap in installation (please ensure finished face is protected).



▲ 0169 44 diameter



▲ 1885 32 diameter



▲ 2100 28 x 17




▲ 0159 57 diameter



▲ 1892 51 diameter

# Escutcheons - Concealed fix - 44mm to 76mm Ø

A concealed fix standard keyhole escutcheon offered in twelve designs and up to four sizes to match up with the Allart Select Rosettes and Backplates.




	A	B	C	D
D (diameter)	Ø 44	Ø 54	Ø 64	Ø 76

Custom sizes available upon request - surcharge may apply.




## ▲ 7578

computer generated images (A size shown)



### Fixings


Supplied with subrose and no.4 x 13mm wood screws.



# Cylinder Escutcheons & Collars

A selection of traditional and contemporary Escutcheons, both face fixed and concealed fix, available either with profile cylinder cutouts or with traditional keyholes.

Additionally the 9411 is also available as a Cylinder Collar, to suit both UK and US standard rim cylinders.



▲ **1893** 50 diameter



▲ **3928** 50 diameter



3007 shown

▲ **3007** 50 diameter 3.0 thick  
▲ **3008** 50 diameter 1.6 thick




BZ ONLY

▲ **3009** 50 x 35 x 3  
available euro cylinder (E) only



9405 shown

▲ **9405** 50 x 38 x 5  
▲ **9411** 63 x 43 x 6



**1893/3928**

## Fixings

3007-9 supplied with finished matched no.4 x 13mm wood screws.

8405 & 9411 supplied with finished matched no.6 x 19mm wood screws.

1893 & 3928 supplied with no.4 x 13mm wood screws and face plates thread on for concealed fixing.



▲ **Cylinder Collar**  
UK or US (9411 only)



▲ **oval cylinder (O)†**



▲ **euro cylinder (E)**



▲ **standard keyhole (S)**

Cylinder flange not recessed



† cutout for standard 32 x 18mm oval cylinder (larger cutouts available upon request)


Cylinder type	(D)
UK standard	30
US standard	32

# Cylinder Escutcheons & Cylinder Collars

Four Cylinder Escutcheon / Cylinder Collar designs, each offered in up to three sizes.


The Cylinder Collar version is available machined to suit either a UK or US specification cylinder.

The Euro & Oval Cylinder versions are designed with grub screw attachment to the cylinder underside. The application of a small amount of contact adhesive to the rear of the Escutcheon is recommended.



approx actual size A

▲ 7987




approx actual size A

▲ 7988




approx actual size A

▲ 7986



approx actual size A

▲ 7989



▲ cylinder collar (UK/US)



▲ euro cylinder (E)




▲ oval cylinder (O)†

†cutout for standard 32 x 18mm oval cylinder (larger cutouts available upon request)


## Fixings

Oval & Euro Profile cutouts only - supplied with grub screw for fixing to cylinder. The application of a small amount of contact adhesive to the rear of the Escutcheon is recommended.



code	Cylinder type	D	d
UK	UK standard	33	30
US	US standard	35	32

6 (except 7989 = 7mm)



	A	B	C
D (dia)	44 Ø	54 Ø	64 Ø

Custom sizes available upon request - surcharge may apply.

# Cylinder Escutcheons & Cylinder Collars

Six Cylinder Escutcheon / Cylinder Collar designs, each offered in up to three sizes.

The Cylinder Collar version is available machined to suit either a UK or US specification cylinder.

The Euro & Oval Cylinder versions are designed with grub screw attachment to the cylinder underside. The application of a small amount of contact adhesive to the rear of the Escutcheon is recommended.




## Fixings

Oval & Euro Profile cutouts only - supplied with grub screw for fixing to cylinder. The application of a small amount of contact adhesive to the rear of the Escutcheon is recommended.

 approx actual size A <b>▲ 7980</b>	 approx actual size A <b>▲ 7981</b>	
 approx actual size A <b>▲ 7982</b>	 approx actual size A <b>▲ 7983</b> (A size not available as cylinder collar)	
 approx actual size A <b>▲ 7984</b>	 approx actual size A <b>▲ 7985</b>	
 <b>▲ cylinder collar (UK/US)</b>	 <b>▲ euro cylinder (E)</b>	 <b>▲ oval cylinder (O)†</b>

† cutout for standard 32 x 18mm oval cylinder (larger cutouts available upon request)

		$D$	$d$
code	Cylinder type	D	d
UK	UK standard	33	30
US	US standard	35	32




	A	B	C
D (dia)	44 Ø	54 Ø	64 Ø

Custom sizes available upon request - surcharge may apply.

# Euro-Profile Escutcheons - 54mm to 76mm Ø

A concealed fix euro-profile cylinder escutcheon offered in twelve designs and three sizes to match up with the Allart Select Rosettes and Backplates.




	A	B	C	D
D (diameter)	-	Ø 54	Ø 64	Ø 76

Custom sizes available upon request - surcharge may apply.


▲ 7412

computer generated images (B size shown)



## Fixings

Supplied with no.4 x 13mm wood screws.





# Cylinder Escutcheons & Cylinder Collars

Four Cylinder Escutcheon / Cylinder Collar Diamond orientated Plate designs - each available in three sizes.

The Cylinder Collar version is offered machined to suit either a UK or US specification cylinder.

The Euro & Oval Cylinder versions are offered either Face Fixed or Concealed Fix - the Concealed Fixing being achieved using grub screw attachment to the cylinder underside. The application of a small amount of contact adhesive to the rear of the Escutcheon is recommended.


The standard bit-key Keyhole version is available Face Fixed only.



## Fixings

Concealed fix Escutcheons supplied with grub screw for fixing to cylinder. The application of a small amount of contact adhesive to the rear of the Escutcheon is recommended.

Face fixed Escutcheons supplied with finish matched no.6 x 19mm wood screws. Cylinder Collars supplied with anti-rotation pin.



▲ 4770 (concealed fix 4720)

▲ 4970 (concealed fix 4920)

▲ 5970 (concealed fix 5920)


▲ 6070 (concealed fix 6020)

▲ cylinder collar (UK/US)


▲ euro cylinder (E)

▲ oval cylinder (O)†

▲ standard keyhole (S) (available face fixed only)



code	Cylinder type	D	d
UK	UK standard	33	30
US	US standard	35	32



† cutout for standard 32 x 18mm oval cylinder (larger cutouts available upon request)

grubscrew position on concealed fix versions

	A	B	C
S (square)	44	54	64

Custom sizes available upon request - surcharge may apply.

# Cylinder Escutcheons & Cylinder Collars

Nine Cylinder Escutcheon / Cylinder Collar Square Plate designs - each available in up to three sizes.

The Cylinder Collar version is offered machined to suit either a UK or US specification cylinder.

The Euro & Oval Cylinder versions are offered either Face Fixed or Concealed Fix - the Concealed Fixing being achieved using grub screw attachment to the cylinder underside. The application of a small amount of contact adhesive to the rear of the Escutcheon is recommended.

The standard bit-key Keyhole version is available Face Fixed only.

All images shown below are A size (44mm)



▲ 3202 (face fixed 3252)

▲ 4702 (face fixed 4752)


▲ 4902 (face fixed 4952)



▲ 5902 (face fixed 5952)

▲ 6002 (face fixed 6052)

▲ 6602 (face fixed 6652)



▲ 6702 (face fixed 6752<sup>◇</sup>)

▲ 6802 (face fixed 6852<sup>◇</sup>)

▲ 8752 (not available as concealed fix)

<sup>◇</sup> A sizes not available as cylinder collar



## Fixings

Concealed fix Escutcheons supplied with grub screw for fixing to cylinder. The application of a small amount of contact adhesive to the rear of the Escutcheon is recommended.

Face fixed Escutcheons supplied with finish matched no.6 x 19mm wood screws. (except 6052, 6752 & 6852 A sizes: no.4 x 13mm).

Cylinder Collars supplied with anti-rotation pin.




▲ cylinder collar (UK/US)

▲ oval cylinder (O)†



▲ euro cylinder (E)

▲ standard keyhole (S) (available face fixed only)

† cutout for standard 32 x 18mm oval cylinder (larger cutouts available upon request)



code	Cylinder type	D	d
UK	UK standard	33	30
US	US standard	35	32



grubscrew position on concealed fix versions

	A	B	C
L x W	44 x 44	54 x 54	64 x 64
3202/52 only	62 x 44	72 x 54	82 x 64

Custom sizes available upon request - surcharge may apply.

UPDATED 07/16

DF6:140